INORGANICA CHIMICA ACTA VOLUME 218, NUMBERS 1–2, APRIL 1994

Contents

Preliminary Communications

Ten-vertex polyhedral mixed diheteromonometallaborane chemistry. Directed synthesis of *arachno*-9,6,8-platinathiacarbadecaboranes 1
J.H. Jones, J.D. Kennedy (Leeds, UK) and B. Štíbr (Řež near Prague, Czech Republic)

Azacryptand host for lead: NMR and structural studies. 5
N. Martin, V. McKee and J. Nelson (Belfast, UK)

Molybdenum carbonyl derivatives containing eight- and nine-membered diphosphine chelating rings: the synthesis of $[Mo(CO)_4(dppp_e)]$ ($dppp_e = Ph_2P(CH_2)_5PPh_2$) and $[Mo(CO)_4(dpph)]$ ($dpph = Ph_2P(CH_2)_6PPh_2$) and the crystal structure of the latter 9
C.-H. Ueng and J.-L. Hwang (Taipei, Taiwan)

Articles

Ternary Pt(II)–amino acid–nucleotide complexes: kinetics of formation 11
D. Gibson (Jerusalem, Israel), G.M. Arvanitis (Hillwood Lakes, NJ, USA) and H.M. Berman (Piscataway, NJ, USA)

Bromo derivatives of amine and phosphine complexes of cyanodihydroborane. Synthesis and reactivity 21
B. Györi, Z. Kovács, J. Emri and I. Lázár (Debrecen, Hungary)

Heterodinuclear Ni(II)M(II) (M = Pb, Mn, Fe, Co, Ni, Cu, Zn) complexes of a phenol-based dinucleating macrocycle with dissimilar 4- and 5-coordination sites 27
J. Nishio, H. Ōkawa, S. Ohtsuka and M. Tomono (Fukuoka, Japan)

Electrochemistry of organometallic halide complexes
III. Oxidation of $[C_6Me_6RuCl_2]_2$ 33
U. Kölle, R. Görissen and A. Hörnig (Aachen, Germany)

A comparison of the loop-current effect of silicon phthalocyanine and silicon naphthalocyanine rings on their axial ligands. 41
T. Koyama, T. Suzuki, K. Hanabusa, H. Shirai (Ueda, Japan) and N. Kobayashi (Sendai, Japan)

Alkyl for hydride exchange between alane-trimethylamine and Group IVB metal alkyls 47
W.G. Feighery, R.U. Kirss (Boston, MA, USA), C.H. Lake and M.R. Churchill (Buffalo, NY, USA)

Substituent effect on the coordination ability of the amide group of N-protected amino acids 53
G. Lusvardi, L. Menabue and M. Saladini (Modena, Italy)

Hydrothermal synthesis and crystal and molecular structure of a three-dimensional vanado-arsonate $(NH_4)_3[(VO)(V_2O_3)(AsO_4)_2(HAsO_4)]$, exhibiting both $\{V–O–V\}_\infty$ chains and isolated $\{V_2O_3\}$ units 59
R.C. Haushalter, L. Mayer, S.S. Dhingra, M.E. Thompson (Princeton, NJ, USA), Z. Wang (Syracuse, NY, USA and Princeton, NJ, USA) and J. Zubieta (Syracuse, NY, USA)

Equilibrium and spectroscopic studies of diethyltin(IV) complexes formed with carbohydrate derivatives of thiazolidine-4-carboxylic acid 65
N. Buzás, B. Gyurcsik, L. Nagy, Y. Zhang (Szeged, Hungary), L. Korecz (Budapest, Hungary) and K. Burger (Szeged, Hungary)

Stereoselectivity in reactions of metal complexes
Part XVIII. Kinetics and stereoselectivity in electron-transfer reactions between $[Co(L)H_2O]^+$ (L = *N*,*N*′-[(pyridine-2,6-diyl)bis(methylene)]bis[proline] (promp) and *N*,*N*′-[(4-methoxypyridine-2,6-diyl)bis(methylene)]bis[proline] (MeO-promp) and optically active iron(II) complexes 73
K. Bernauer, E. Fuchs and D. Hugi-Cleary (Neuchâtel, Switzerland)

Organometallic complexes of ruthenium(IV) with bidentate oxygen and nitrogen donor ligands 81
G. Belchem, D.H.A. Schreiber, J.W. Steed and D.A. Tocher (London, UK)

A mechanistic study of the homogeneous catalytic hydroformylation of formaldehyde: synthesis and characterization of model intermediates. 89
A.S.C. Chan (Taichung, Taiwan, ROC and Hong Kong, Hong Kong) and H. Shieh (St. Louis, MO, USA)

Elsevier Sequoia

Reactions of the technetium(V) phenylimido complex $[TcX_3(NPh)(PPh_3)_2]$ with aromatic thiolate ligands (where X = Cl, Br) 97
T. Nicholson, J. Cook, A. Davison and A.G. Jones (Cambridge, MA, USA and Boston, MA, USA)

Synthesis, structural characterization and dioxygen reactivity of imidazole-ligated Cu(I) complexes 103
T.N. Sorrell, M.L. Garrity, J.L. Richards and P.S. White (Chapel Hill, NC, USA)

Preparation, crystal structures and magnetic properties of a *syn–anti* carboxylate-bridged dinuclear copper(II) complex and its precursor, a hydrogen-bonded polynuclear copper(II) complex 109
E. Colacio, J.-M. Domínguez-Vera (Granada, Spain), R. Kivekäs (Helsinki, Finland) and J. Ruiz (Granada, Spain)

Simultaneous binding of soft and hard metals to a pyrimidine nucleobase: *trans*-$K_2[PtI_2(1\text{-MeU})_2]\cdot 6H_2O$, an anionic Pt-1-methyluracil (1-MeU) complex arranged in circles 117
O. Renn, B. Lippert (Dortmund, Germany) and I. Mutikainen (Helsinki, Finland)

Lithium coordination to amino acids and peptides. Synthesis, spectroscopic characterization and structure determination of lithium complexes of neutral and anionic glycine and diglycine 121
G. Müller, G.-M. Maier and M. Lutz (Constance, Germany)

Main group metal halide complexes with sterically hindered thioureas
XIV. A reinvestigation of coordination sensitive modes in the solid state vibrational spectrum of 1,3-dimethyl-2(3*H*)-imidazolethione and related compounds 133
D.J. Williams, T.A. Ly, J.W. Mudge (Marietta, GA, USA), D. VanDerveer and R.L. Jones (Atlanta, GA, USA)

New heptacoordinated tin complexes of 2,6-diacetylpyridinebis(thiosemicarbazone), H_2daptsc, and of 2,6-diacetylpyridine-bis(semicarbazone), H_2dapsc. Crystal and molecular structures of $[MeSnCl(Hdaptsc)]Cl\cdot MeOH$ and $[MeSnCl(H_2dapsc)]Cl_2\cdot 2H_2O$ 139
G.F. de Sousa, C.A.L. Filgueiras, A. Abras (Belo Horizonte, MG, Brazil), S.S. Al-Juaid, P.B. Hitchcock and J.F. Nixon (Brighton, UK)

Preparation and crystal structure of *anti*-(η^3:η^5-azulene)pentakis(trimethylphosphine)dicobalt. Reactions with carbon monoxide and solution dynamics 143
H.-F. Klein, B. Hammerschmitt, G. Lull (Darmstadt, Germany), U. Flörke and H.-J. Haupt (Paderborn, Germany)

Conformational flexibility of 1,3-diaminopropane in chelate rings. Redetermination of the structure of *trans*-dinitratobis(1,3-diaminopropane)copper(II) 151
M.R. Sundberg (Helsinki, Finland)

Synthesis and characterization of oxorhenium(V)–catecholate complexes. Crystal and molecular structures of $(CH_3)_4N[ReO(O_2C_6H_4)_2]$ and $(CH_3)_4N[ReO(PPh_3)(O_2C_6H_4)_2]\cdot CH_3OH$ 157
P.B. Kettler, Y.-D. Chang, J. Zubieta (Syracuse, NY, USA) and M.J. Abrams (West Chester, PA, USA)

Antiferromagnetism tuned by the topology of the intervening bridging ligand. Crystal structure and magnetic properties of the (μ-phthalato){[bis(piperidine)]Cu(II)} chain complex 167
E.G. Bakalbassis (Thessaloniki, Greece) and A. Terzis (Aghia Paraskevi Attikis, Greece)

Coordination chemistry of perhalogenated cyclopentadienes and alkynes
XIV. Synthesis of dinuclear ring-bridged cymantrenes with $-SiMe_2-$ or $-TiCp_2-$ bridges. Structures of $[(OC)_3Mn(C_5Br_4-)]_2SiMe_2$ and $[(OC)_3Mn(C_5Cl_4-)]_2TiCp_2$ 173
K. Sünkel, U. Birk and J. Hofmann (Munich, Germany)

Notes

Structural characterization of octahedral metal complexes of $[MX_3(py)_3]$ type with three pyridines as revealed by ^2H NMR spectra 179
S. Kaizaki (Osaka, Japan) and J.I. Legg (Pullman, WA, USA)

Crystal structure and magnetic properties of the first 1D nickel(II) complex with bridging thiocyanato ligands in *cis* position: {*catena*-($\mu_{N,S}$-NCS)[Ni(en)$_2$]}(PF_6) 185
M. Monfort, C. Bastos, C. Diaz, J. Ribas and X. Solans (Barcelona, Spain)

Orthometalation reactions in trifluoroacetate dirhodium(II) compounds. Molecular structure of $Rh_2(O_2CCF_3)_2[(C_6H_4)PPh_2]_2\cdot(PPh_3)_2\cdot 2(C_7H_8)$ 189
F. Estevan, P. Lahuerta, E. Peris, M.A. Ubeda (Burjassot, Valencia, Spain), S. García-Granda, F. Gómez-Beltrán, E. Pérez-Carreño (Oviedo, Spain), G. González and M. Martínez (Barcelona, Spain)

Synthesis and characterization of molybdenum and tungsten nitrite complexes of the type $[M(NO_2)_2(CO)_2(PPh_3)_2]$ 195
R.D. Feltham (Tucson, AZ, USA) and E. Rajaseelan (Millersville, PA, USA)

Preparation and structure of $[PtPt(OCO_2H)(PEt_3)_2]$ and $[PhPt(OH_2)(PEt_3)_2]BF_4$ 199
M. Ito, M. Ebihara and T. Kawamura (Gifu, Japan)

Synthesis and characterization of uranium triiodide tetrakis(acetonitrile) 203
J. Drożdżyński (Wrocław, Poland) and J.G.H. du Preez (Port Elizabeth, South Africa)

Estrogen derivatives of transition metal complexes for analytical detection enhancement. 207
D. Osella, O. Gambino, G.C. Dutto, C. Nervi (Turin, Italy), G. Jaoune and A. Vessières (Paris, France)

Cyclopalladated *p*-azoxyanisole complexes. Synthesis and structure of {[bis(2-phenylpyridine)][4′-(methoxyphenyl-*NNO*-azoxy-N^2)-4-methoxyphenyl-2-ato]palladium(II)}(tetrafluoroborate) 211
S. Armentano, G. De Munno, M. Ghedini and S. Morrone (Arcavacata, Cs, Italy)

Book Reviews 215

Conference Calendar 219

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.